Notice of Allowability	Application No.	Applicant(s)
	10/785,530	KURAHASHI, AKIRA
	Examiner	Art Unit
	Abolfazl Tabatabai	2624
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>amendment filed on August 1, 2007</u> .		
2. The allowed claim(s) is/are 26-31 (now renumbered 1-6).		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5 <b></b>	
Notice of References Cited (PTO-992)     Notice of Draftperson's Patent Drawing Review (PTO-948)	<ul><li>5. ☐ Notice of Informal P</li><li>6. ☐ Interview Summary</li></ul>	• •
3. Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Dat 7.  Examiner's Amendin	.e nent/Comment
Paper No./Mail Date4.   Examiner's Comment Regarding Requirement for Deposit		
of Biological Material		ent of Reasons for Allowance
	о. <sub>—</sub> Опет	
	•	

Application/Control Number: 10/785,530 Page 2

Art Unit: 2624

## **Drawings**

1. The drawings were received on February 23, 2004. The Examiner accepts these drawings.

## **Reasons for Allowance**

- 2. Applicant's amendment/argument (pages 5-6), filed on August 1, 2007, has been fully considered and are persuasive. Claims 1-25 have been canceled, therefore claims 26-31 are allowable.
- **3.** The following is an examiner's statement of reasons for allowance.

The prior art of record fails to teach or suggest image file control apparatus comprises a set of information including the magnification of the radiographing and the sampling pitch with which the radiation image was read by the image reading device, and a full size sampling pitch calculated based on the set of information; a resolving power conversion apparatus for converting one of the sets of raw image data stored in the image data storing apparatus based on a predetermined resolving power and the supplemental information attached to the set of raw image data in combination into other features and elements of claim 26.

- 4. Claims 26-31 (now renumbered 1-6) are allowed.
- 5. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## **Citation of Relevant Prior Art**

**6.** The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Ellegood et al. (U.S. 6,137,860) disclose digital radiographic weld inspection system.

Smith et al (U S 6,851,851 B2) disclose digital flat panel x-ray receptor positioning in diagnostic radiology.

## **Contact Information**

7. Any inquiry concerning this communication or earlier communications from the Examiner should be directed to ABOLFAZL TABATABAI whose telephone number is (571) 272-7458.

The Examiner can normally be reached on Monday through Friday from 9:30 a.m. to 7:30 p.m. If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, Bhavesh Mehta, can be reached at (571) 272-7453. The fax phone number for organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <a href="http://pair-direct.uspto.gov">http://pair-direct.uspto.gov</a>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Abolfazl Tabatabai

Patent Examiner

Technology Division 2624

August 7, 2007

A-Tabatolai

SAMED ANNER